
KUHNKE



DSM5/DSF5/DSM7
Motor Curves

AC BRUSHLESS SERVOMOTORS - DSM5 Series

AC Synchronous Servomotors DSM5 Size 0 – 2 – 3 – 4 – 5 – 6 – 7 – 8

The DSM5 series of AC PM synchronous servomotors have been designed using the latest generation of magnets and construction techniques to provide very high performance with a wide range of available options.

The high torque to volume ratio, low cogging torque and low torque ripple provides the best solution for demanding applications where such characteristics are essential.

PRINCIPLE CHARACTERISTICS:

- Rare earth magnets for high performance
- Medium Inertia for high stability
- Compact design and low weight
- 90° right angle rotatable connectors
- High IP rating, smooth finish



CURVES DEFINTION:

The S1 and S3 curves are defined at the following operating conditions:

- Ambient Temperature 0÷40°C
- Altitude 1000m
- Max Temperature Rise 100K
- Mounted on test flange *(refer to table below)*
- Duty cycle according to IEC60034-1
- DcBus 560Vdc
- No Brake

Motor Size	Flange Dimensions (side x side x thickness) [mm]
SIZE 0	254x254x8
SIZE 2	254x254x8
SIZE 3	254x254x8
SIZE 4	305x305x15
SIZE 5	457x457x15
SIZE 6	457x457x15
SIZE 7	457x457x15
SIZE 8	457x457x15

DERATING RULES:

- Derating due to presence of brake 10%.
- Derating due to presence of encoder 6%
- Power derating 1%/K in a range of 40°C to 50°C up to 1000m above sea level, while for site altitudes of over 1000 m above sea level performance downgrade:
  - 6% at 2000 m above sea level
  - 17% at 3000 m above sea level
  - 30% at 4000 m above sea level
  - 55% at 5000 m above sea level

DSM5 Motor Series *(Click on motor Type to move to the related curve)*

Type	M_o Nm	I_o Arms	N_{max_mec} rpm	R_{ff} @20°C Ohm	L_{ff} mH	k_e Vrms/krpm	k_t Nm/Arms	M_{pk} Nm	I_{pk} Arms	J_r kg cm²
DSM5.04.1	0,19	0,8	8500	27	11	14,7	0,24	0,6	3,1	0,037
DSM5.05.1	0,38	1,2	8500	14	7,9	19	0,31	1,3	4,8	0,061
DSM5.21.1	0,7	1,6	8500	8,7	10,4	27	0,45	2,4	6,4	0,13
DSM5.21.2	0,7	1,0	8500	23	27	44	0,73	2,4	3,9	0,13
DSM5.22.1	1,4	2,8	8500	3,2	5,6	30	0,50	4,6	10,8	0,23
DSM5.22.2	1,4	1,7	8500	8,4	13	49	0,81	4,6	6,6	0,23
DSM5.31.1	1,5	1,6	7000	9	16	55	0,91	5,2	6,9	0,92
DSM5.31.2	1,5	1,1	7000	23	35	86	1,42	5,2	4,4	0,92
DSM5.32.1	2,9	3,2	7000	3,4	7	55	0,91	10	13,1	1,72
DSM5.32.2	2,9	2,0	7000	8,3	18	88	1,46	10	8,2	1,72
DSM5.33.1	4,2	4,6	7000	1,9	4,5	55	0,91	14	18,1	2,53
DSM5.33.2	4,2	2,9	7000	5	12	88	1,46	14	11,3	2,53
DSM5.34.1	5,3	5,8	6000	1,4	3,5	55	0,91	18	23,0	3,33
DSM5.34.2	5,3	3,4	6000	4	11	93	1,54	18	13,6	3,33
DSM5.41.1	4	4,4	6500	2,3	5,6	55	0,91	14	18,3	5
DSM5.41.2	4	2,5	6500	6,9	16	96	1,59	14	10,5	5
DSM5.42.1	7,6	7,8	6500	0,95	2,9	59	0,98	26	31,7	9,6
DSM5.42.2	7,6	4,7	6500	2,7	7,5	98	1,62	26	19,1	9,6
DSM5.43.1	11,3	11,6	6500	0,5	1,6	59	0,98	39	47,6	14
DSM5.43.2	11,3	7,0	6500	1,5	4,9	98	1,62	39	28,6	14
DSM5.51.1	10	9,8	6500	0,65	2,6	62	1,03	35	40,6	22
DSM5.51.2	10	6,5	6500	1,61	7	93	1,54	35	27,1	22
DSM5.52.1	19	16,0	6500	0,34	1,9	72	1,19	64	64,0	43
DSM5.52.2	19	12,4	6500	0,61	3,3	93	1,54	64	49,5	43
DSM5.53.1	27	20,9	5500	0,25	1,7	78	1,29	94	86,7	65
DSM5.53.2	27	15,4	5500	0,46	2,7	106	1,75	94	63,8	65
DSM5.54.1	35	24,9	5500	0,18	1,7	85	1,41	118	99,9	87
DSM5.54.2	35	20,0	5500	0,32	1,9	106	1,75	118	80,1	87
DSM5.61.1	15	11,5	5500	0,6	3,4	79	1,31	40	36,4	54
DSM5.61.2	15	9,1	5500	0,95	6,5	100	1,65	40	28,8	54
DSM5.62.1	28	23,8	5500	0,18	1,2	71	1,17	72	73,0	91
DSM5.62.2	28	12,6	5500	0,74	5,3	134	2,22	72	38,7	91
DSM5.63.1	50	28,0	4500	0,16	1,3	108	1,79	130	86,6	177
DSM5.63.2	50	17,9	4500	0,36	3,2	169	2,80	130	55,4	177
DSM5.64.1	70	39,2	4500	0,09	0,8	108	1,79	180	120,0	264
DSM5.64.2	70	26,1	4500	0,16	1,8	162	2,68	180	80,0	264
DSM5.71.1	76	36,5	4000	0,14	1,5	126	2,08	200	106,6	484
DSM5.71.2	76	25,1	4000	0,28	3,1	183	3,03	200	73,4	484
DSM5.72.1	147	70,5	4000	0,05	0,8	126	2,08	405	215,9	941
DSM5.72.2	147	41,1	4000	0,12	2,2	216	3,57	405	126,0	941
DSM5.73.1	230	103,0	4000	0,03	0,6	135	2,23	625	311,0	1398
DSM5.73.2	230	64,4	4000	0,08	1,5	216	3,57	625	194,4	1398
DSM5.81.1	126	38,9	1700	0,14	1,4	196	3,24	320	107,3	1130
DSM5.81.2	126	19,0	1700	0,5	5,8	401	6,63	320	52,4	1130
DSM5.82.1	220	46,2	1700	0,1	1,5	288	4,76	560	127,8	2220
DSM5.82.2	220	24,0	1700	0,38	5,4	555	9,18	560	66,3	2220
DSM5.83.1	320	62,6	1700	0,08	1,1	309	5,11	810	172,3	3310
DSM5.83.2	320	33,0	1700	0,26	4,1	586	9,69	810	90,8	3310
DSM5.84.1	410	60,2	1700	0,09	1,5	412	6,81	1040	165,9	4410
DSM5.84.2	410	37,7	1700	0,24	3,9	658	10,88	1040	103,9	4410
DSM5.30.1	1	1,7	7000	7,9	11	36	0,60	3,6	7,6	0,7
DSM5.30.2	1	1,1	7000	19	25	56	0,93	3,6	4,9	0,7
DSM5.40.1	2,1	3,3	6500	3,5	6,3	39	0,65	7,1	13,4	2,8
DSM5.40.2	2,1	2,1	6500	8,6	16	61	1,01	7,1	8,6	2,8
DSM5.50.1	5	7,4	6500	1	2,7	41	0,68	17	29,8	12
DSM5.50.2	5	4,6	6500	2,3	6,8	66	1,09	17	18,5	12
DSM5.60.2	8	6,0	5500	2,3	10	80	1,32	21	18,5	27


DSF5 Motor Series *(Click on motor Type to move to the related curve)*

Type	Mo	Io	Nmax_mec	Rff @20°C	Lff	ke	kt	Mpk	Ipk	Jr
	Nm	Arms	rpm	Ohm	mH	Vrms/krpm	Nm/Arms	Nm	Arms	kg cm²
DSF5.51.1	14	13,7	6500	0,65	2,6	62	1,03	35	40,6	22
DSF5.51.2	14	9,1	6500	1,61	7	93	1,54	35	27,1	22
DSF5.52.1	26,5	22,3	6500	0,34	1,9	72	1,19	64	64,0	43
DSF5.52.2	26,5	17,2	6500	0,61	3,3	93	1,54	64	49,5	43
DSF5.53.1	38	29,5	5500	0,25	1,7	78	1,29	94	86,7	65
DSF5.53.2	38	21,7	5500	0,46	2,7	106	1,75	94	63,8	65
DSF5.54.1	49	34,9	5500	0,18	1,7	85	1,41	118	99,9	87
DSF5.54.2	49	27,9	5500	0,32	1,9	106	1,75	118	80,1	87
DSF5.62.1	39	33,2	5500	0,18	1,2	71	1,17	72	73,0	91
DSF5.62.2	39	17,6	5500	0,74	5,3	134	2,22	72	38,7	91
DSF5.63.1	71	39,7	4500	0,16	1,3	108	1,79	130	86,6	177
DSF5.63.2	71	25,4	4500	0,36	3,2	169	2,80	130	55,4	177
DSF5.64.1	98	54,9	4500	0,09	0,8	108	1,79	180	120,0	264
DSF5.64.2	98	36,6	4500	0,16	1,8	162	2,68	180	80,0	264
DSF5.71.1	100	48,0	4000	0,14	1,5	126	2,08	200	106,6	484
DSF5.71.2	100	33,0	4000	0,28	3,1	183	3,03	200	73,4	484
DSF5.72.1	190	91,2	4000	0,05	0,8	126	2,08	405	215,9	941
DSF5.72.2	190	53,2	4000	0,12	2,2	216	3,57	405	126,0	941
DSF5.73.1	300	134,4	4000	0,03	0,6	135	2,23	625	311,0	1398
DSF5.73.2	300	84,0	4000	0,08	1,5	216	3,57	625	194,4	1398

DSM7 Motor Series *(Click on motor Type to move to the related curve)*


Type	M_o	I_o	N_{max_mec}	R_{ff} @20°C	L_{ff}	k_e	k_t	M_{pk}	I_{pk}	J_r
	Nm	Arms	rpm	Ohm	mH	Vrms/krpm	Nm/Arms	Nm	Arms	kg cm²
DSM7.31.1	1,4	1,7	6000	9,6	14,8	49	0,81	5	7,2	1,9
DSM7.31.2	1,4	1,1	3500	24,2	36,9	80	1,32	5	4,6	1,9
DSM7.32.1	2,8	3,5	6000	3,4	6,8	48	0,79	9,5	14,0	2,7
DSM7.32.2	2,8	2,1	3500	9,2	18	79	1,31	9,5	8,6	2,7
DSM7.33.1	3,9	4,9	6000	2	4,3	48	0,79	13	19,6	3,5
DSM7.33.2	3,9	2,9	3500	5,3	11,4	80	1,32	13	12,4	3,5

Motor Torque vs. Speed Curve	DSM5.04.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.05.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.21.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.21.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.22.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.22.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.31.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.31.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.32.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.32.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.33.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.33.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.34.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.34.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.41.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.41.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.42.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.42.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.43.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.43.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.51.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.51.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.52.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.52.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.53.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.53.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.54.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.54.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.61.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.61.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.62.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.62.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.63.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.63.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.64.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.64.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.71.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.71.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.72.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.72.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.73.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.73.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.81.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.81.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.82.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.82.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.83.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.83.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.84.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.84.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.30.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.30.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.40.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.40.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.50.1




(Back to index)

Motor Torque vs. Speed Curve	DSM5.50.2




(Back to index)

Motor Torque vs. Speed Curve	DSM5.60.2




(Back to index)

Motor Torque vs. Speed Curve	DSF5.51.1




(Back to index)

Motor Torque vs. Speed Curve	DSF5.51.2




(Back to index)

Motor Torque vs. Speed Curve	DSF5.52.1




(Back to index)

Motor Torque vs. Speed Curve	DSF5.52.2




(Back to index)

Motor Torque vs. Speed Curve	DSF5.53.1




(Back to index)

Motor Torque vs. Speed Curve	DSF5.53.2



(Back to index)

Motor Torque vs. Speed Curve	DSF5.54.1




(Back to index)

Motor Torque vs. Speed Curve	DSF5.54.2




(Back to index)

Motor Torque vs. Speed Curve	DSF5.62.1




(Back to index)

Motor Torque vs. Speed Curve	DSF5.62.2




(Back to index)

Motor Torque vs. Speed Curve	DSF5.63.1




(Back to index)

Motor Torque vs. Speed Curve	DSF5.63.2




(Back to index)

Motor Torque vs. Speed Curve	DSF5.64.1




(Back to index)

Motor Torque vs. Speed Curve	DSF5.64.2




(Back to index)

Motor Torque vs. Speed Curve	DSF5.71.1




(Back to index)

Motor Torque vs. Speed Curve	DSF5.71.2




(Back to index)

Motor Torque vs. Speed Curve	DSF5.72.1




(Back to index)

Motor Torque vs. Speed Curve	DSF5.72.2




(Back to index)

Motor Torque vs. Speed Curve	DSF5.73.1




(Back to index)

Motor Torque vs. Speed Curve	DSF5.73.2




(Back to index)

Motor Torque vs. Speed Curve	DSM7.31.1




(Back to index)

Motor Torque vs. Speed Curve	DSM7.31.2




(Back to index)

Motor Torque vs. Speed Curve	DSM7.32.1




(Back to index)

Motor Torque vs. Speed Curve	DSM7.32.2




(Back to index)

Motor Torque vs. Speed Curve	DSM7.33.1



(Back to index)

Motor Torque vs. Speed Curve	DSM7.33.2



(Back to index)

KUHNKE

MOTORS & MOTION CONTROL

- DSM5 BRUSHLESS SERVOMOTORS
- DSG SYNCHRONOUS PM GENERATORS
- RARE EARTH SC DC SERVOMOTORS
- DSW WATER-COOLED
- LOW-COST SOLUTIONS
- PLANETARY GEARS
- CUSTOMISED SOLUTIONS
- TORQUE MOTORS
- FRAMELESS SPINDLE MOTORS

ISD : E220486